

COOPERATE • WIN-WIN

YUYAO HESHENG MACHINERY CO.,LTD



Contact Us

Add: No. 173 Zhangyi Road, Zhangting Town, Yuyao City, Zhejiang Province, China P.C.:315400

Tel: 86-574-62992006

Fax : 86-574-62992006

E- mail:kqq20008@126.com, cb@y.com, cwb@yyjingcheng.com

Http:www.yyjingcheng.com

HESSENG MACHINERY

High and new technology enterprises



Quality

Price

Innovation



COMPANY PROFILE

Yuyao Hesheng Machinery Co.,Ltd (formerly known as Jincheng Plastic Stamping Factory established in 1996), with production base 10,000 square meters, locates in Yuyao City, a famous culture town of Zhejiang. It is 1 hour driving distance from Hangzhou Airport and 2.5 hours from Shanghai Airport.


Starting from 2006, it specializes in manufacturing Power Tool Workbench, Miter Saw/Table Saw Stand, Portable Stand, Swimming Pool Ladder and Safety Fences. Most products are certified for CE, UL, GS and other certificates. Some products have their own patents.

Company management is strictly in compliance with ISO9000 standard and has passed various international brand's factory audits from 2006-2008, such as Bosch/TTI. Products were exported to Europe, United States, Southeast Asia as well as other regions, and recognized and praised by end users around the world.

**20 years professional manufacturing experience,
one stop solution for your need.**



CORPORATE QUALIFICATION





PRODUCT CATALOG

pool ladder01

work stand04

table saw stand10

miter saw stand16

air compressor20

metal stamping part24

sheet metal components26



POOL LADDER



◀ HS460A2-3

above ground stainless steel swimming pool ladder

Descriptions:

- Handrails made from high resistant stainless steel, diameter: 42mm, thickness: 1.2mm
- Anti-rusting, SUS 304 stainless steel pipe with mirror polish
- Easy installment in usage
- Step type: Steel, steel &plastic, plastic
- Shape: Standard or customized
- Steps: 2, 3, 4, available

Specifications:

Model	Steps	Pool Depth	Diameter	Thickness	A	B	C	D	E	Weight
HS460A2-2	2+2	0.8 M	42mm	0.1cm	115cm	138cm	25cm	73cm	42cm	11.5kg
HS460A2-3	3+3	1 M	42mm	0.1cm	115cm	158cm	25cm	93cm	42cm	12.5kg
HS460A2-4	4+4	1.4M-1.6M	42mm	0.1cm	136cm	188cm	25cm	125cm	42cm	13.5kg
HS460A2-5	5+5	1.6M-1.8M	42mm	0.1cm	170cm	212cm	25cm	155cm	42cm	14.5kg



POOL LADDER



◀ HS460SA2-3

above ground stainless steel swimming pool ladder

Descriptions:

- Handrails made from high resistant stainless steel, diameter: 28mm, thickness: 1mm
- Anti-slippery, equipped with plastic threads
- Anti-rusting, SUS 304 stainless steel pipe with light grey powder coating
- Easy installment in usage
- Supplied with foldable safety guard
- Steps: 2, 3, 4, available

Specifications:

Model	Steps	Pool Depth	Tube Diameter	Thickness	Height	weight
HS460SA2-3	3 steps	M	28 mm	1.0 mm	M	11 kg
HS460SA2-4	4 steps	M	28 mm	1.0 mm	M	kg
HS460SA2-5	5 steps	M	28 mm	1.0 mm	M	kg



POOL LADDER



HS480F315 ▶

stainless steel step ladder for in ground pool

Descriptions:

- Handrails made from high resistant stainless steel, diameter: 42mm, thickness: 1. 2mm
- Anti-slippery, equipped with stainless steel threads
- Anti-rusting, SUS 304 stainless steel pipe with mirror polish
- Easy installment in usage
- Steps: 2, 3, 4, available

Specifications:

Model	Steps	Pool Depth	Tube Diameter	Thickness	Height	weight
HS480F315-3	3 steps	M	42 mm	1.2 mm	M	11.5 kg
HS480F315-4	4 steps	M	42 mm	1.2 mm	M	kg
HS480F315-5	5 steps	M	42 mm	1.2 mm	M	kg



WORK STAND

Descriptions:

- Exclusive compatibility with universal table saw stands
- Easy functionality for attaching and detaching saw in seconds, without tools
- Folds flat make transport and storage conveniently
- Solid and durable design with all steel design, providing load capacity 150kgs

Specifications:

Material	Diameter	Thickness	length	width	height	Folded flat height	weight
steel	30mm	1.0mm	64cm	47cm	59cm	10cm	6.75 kg

Foldable work stand



HS2803 ▶



WORK STAND

Foldable work stand

Descriptions:

- Exclusive compatibility with universal table saw stands
- Easy functionality for attaching and detaching saw in seconds, without tools
- Folds flat make transport and storage conveniently
- Solid and durable design with all steel design, providing load capacity 150kgs

Specifications:

Material	Diameter	Thickness	length	width	height	Folded flat height	weight
steel	30mm	1.5mm	52cm	45cm	61cm	7cm	5.5 kg



◀ HS2804



WORK STAND



HS2806 ▶

Foldable work stand

Descriptions:

- Foldable work stand made of high steel
- Easy for carrying and storage
- Folded size 14 cm x 14 cm (length, width)
- Solid and durable design with all steel design, providing load capacity 100kgs

Specifications:

Material	Diameter	Thickness	length	width	height	Folded flat height	weight
steel	25mm	1.2mm	48cm	48cm	62cm	65cm	3.72 kg



WORK STAND


Work stand, metal support sub-base for table saw

Descriptions:

- Durable All-Steel Base Design with steel tube diameter 19mm, thickness 1.0mm
- Integrated sub-base protect table saw from finger touch or locks into place for solid and consistent cutting performance
- Max loading capacity 125kgs


Specifications:

Model	Material	length	width	height	weight
HS2801	steel	58 cm	56 cm	32 cm	4.7 kg
HS2805	steel	56 cm	51 cm	32 cm	3.2 kg



◀ HS2801

HS2805 ▶



WORK STAND



◀ HS2802

Foldable work stand

Descriptions:

- Foldable saw horse with durable steel trestle diameter 20mm, thickness 1.2mm
- 2 pieces foldable wooden cover with side handle, adjust the suitable distance when logging
- Max loading capacity 100kgs

Specifications:

Material	length	width	height	Folded flat height	weight
Steel, wood	61 cm	28 cm	80cm	93cm	6.05 kg



WORK STAND

Foldable work stand

Descriptions:

- One pieces foldable wooden of width is 78mm, thickness 16mm
- 2 pieces foldable wooden cover with side handle, adjust the suitable distance when logging
- Max loading capacity 100kgs

Specifications:

Material	length	width	height	Folded flat height	weight
Steel, wood	61 cm	50 cm	78cm	80cm	13 kg



HS2807



TABLE SAW STAND



HS6801

Professional portable universal table saw stand, with wheels for easy mobility

Descriptions:

- Foldable saw stand with durable steel SPCC diameter 38mm, thickness 1.5mm
- 8 inch wheels with solid rubber tires work smoothly in tough terrain
- Universally adaptable mounting holes for most type of table saws
- Collapsible design minimizes storage space requirements, makes transporting table saw simple
- Max loading capacity 450kgs

Specifications:

Wheel Diameter	Material	length	width	height	Folded flat height	weight
8"	steel	110 cm	60 cm	63 cm	45 cm	22 kg



TABLE SAW STAND



◀ HS6802

Portable universal table saw stand, with wheels for easy mobility

Descriptions:

- Durable steel SPCC diameter 38mm, thickness 1.5mm, table plate thickness 2.5mm
- 8 inch wheels with solid rubber tires work smoothly in tough terrain
- Universally adaptable mounting holes fit for most type of table saws
- Collapsible design minimizes storage space requirements, makes transporting table saw simple
- Max loading capacity 450kgs

Specifications:

Wheel Diameter	Material	length	width	height	Folded flat height	weight
8"	steel	110 cm	60 cm	63 cm	50 cm	19 kg



TABLE SAW STAND



HS6803 ▶

Portable universal table saw stand, with wheels for easy mobility

Descriptions:

- Foldable saw stand with durable steel SPCC diameter 31.8mm, thickness 1.5mm
- 8 inch wheels with solid rubber tires work smoothly in tough terrain
- Universally adaptable mounting holes for most type of table saws
- Collapsible design minimizes storage space requirements, makes transporting table saw simple
- Max loading capacity 450kgs

Specifications:

Wheel Diameter	Material	length	width	height	Folded flat height	weight
8"	steel	110 cm	70 cm	57 cm	45 cm	11 kg



TABLE SAW STAND

foldable steel universal table saw stand

Descriptions:

- Durable steel SPCC diameter 616mm, thickness 1.8mm.
- Quick action universal tool mounts fit most of table saws.
- Designed for use with the DW7480 compact job site table saw, Dcs7485 60V table saw
- Keep your shop clean and dust-free with this handy table saw dust bag.
- Carry stand easily one handed with saw removed for storage or work upstairs.
- Max loading capacity 100kgs.

Specifications:

Material	length	width	height	weight
steel	44 cm	61.5 cm	59 cm	6.5 kg



HS6804 ▶



TABLE SAW STAND



HS6805 ▶

foldable steel universal table saw stand

Descriptions:

- Durable steel SPCC diameter 616mm, thickness 1.8mm.
- Quick action universal tool mounts fit most of table saws.
- Designed for use with the DW7480 compact job site table saw,Dcs7485 60V table saw and DW745 compact table saw • Adjustable leveling foot for work on uneven surfaces.
- Carry stand easily one handed with saw removed for storage or work upstairs.
- Max loading capacity 100kgs.

Specifications:

Material	length	width	height	weight
steel	54 cm	61.5 cm	59 cm	6.3 kg



TABLE SAW STAND



HS6806 ▶

Portable universal table saw stand, with wheels for easy mobility

Descriptions:

- 10 inch wheels with solid rubber tires work smoothly in tough terrain
- Universally adaptable mounting holes for most type of table saws
- Collapsible design minimizes storage space requirements, makes transporting table saw simple
- Max loading capacity 450kgs

Specifications:

Wheel Diameter	Material	length	width	height	Folded flat height	weight
10"	steel	193 cm	56 cm	190 cm	65 cm	15 kg



MITER SAW STAND

Descriptions:

- Foldable miter saw stand with durable steel SPCC diameter 38mm, thickness 1.8mm
- integrated handrail is more convenient for handling miter saw stand
- Gravity rise stand for easy miter saw setup and take down
- 8 in Treaded wheels can handle the toughest jobsite terrains
- Max loading capacity 450kgs

Specifications:

Wheel Diameter	Material	length	width	height	Folded flat height	weight
8"	steel	120 cm	55 cm	82 cm	50 cm	32 kg

Professional portable universal miter saw stand, with wheels for easy mobility

HS7801 ▶





MITER SAW STAND



◀ HS7802

Professional portable universal miter saw stand, with wheels for easy mobility

Descriptions:

- Foldable miter saw stand with durable steel SPCC diameter 45mm, thickness 1.5mm
- Gravity rise stand for easy miter saw setup and take down
- 8 in Treaded wheels can handle the toughest jobsite terrains
- Max loading capacity 450kgs

Specifications:

Wheel Diameter	Material	length	width	height	Folded flat height	weight
8"	steel	130 cm	56 cm	85 cm	50 cm	28 kg



MITER SAW STAND

foldable steel universal miter saw stand

Descriptions:

- Durable steel SPCC diameter 45mm, thickness 1.5mm
- Quick action universal tool mounts fit most of miter saws
- Expansion rails can expands material support up to 10Ft
- Height adjust to accommodate various sized saws
- Adjustable leveling foot for work on uneven surfaces
- Carry stand easily one handed with saw removed for storage or work upstairs
- Max loading capacity 350kgs

Specifications:

Material	length	width	height	Extended side length	weight
steel	110 cm	30 cm	82 cm	100 cm	20 kg



◀ HS7803



MITER SAW STAND

portable steel universal miter saw stand, with wheels
for easy mobility

Descriptions:

- Durable steel SPCC diameter 45mm, thickness 1.5mm
- Quick action universal tool mounts fit most of miter saws
- Transport wheels for easily move stand from location to location without removing saw
- Expansion rails can expands material support up to 10Ft
- Height adjust to accommodate various sized saws
- Carry stand easily one handed with saw removed for storage or work upstairs
- Max loading capacity 150kgs

Specifications:

Wheel Diameter	Material	length	width	height	Folded flat height	weight
8"	steel	110 cm	30 cm	82 cm	100 cm	18 kg



HS7804 ▶



SHEET METAL COMPONENTS



◀ HS1803

Air Compressor Tank

Descriptions:

- Durable steel SPCC thickness 3.0mm
- Max Tank Capacity: 30L
- Applied to car repair, woodworking, and home use

Specifications:

Model	Tank	Material	length	width	height	weight
HS1803	30L	steel	38 cm	41 cm	41 cm	12.56 kg



SHEET METAL COMPONENTS



HS1804 ▶

Air Compressor Tank

Descriptions:

- Durable steel SPCC thickness 3.0mm
- Max Tank Capacity: 38L
- Applied to car repair, woodworking, and home use

Specifications:

Model	Tank	Material	length	width	height	weight
HS1804	38L	steel	48 cm	41 cm	42 cm	15.31 kg



SHEET METAL COMPONENTS

Metal tool cabinet

Descriptions:

- Made of high steel
- load with 10 draws for easy display
- Each draw with depth 20cm, width 10cm

Specifications:

Material	length	width	height	drawer	weight
steel	27 cm	22 cm	32 cm	10 pc	4.2 kg

HS3602 ▶





SHEET METAL COMPONENTS

Metal tool case

Specifications:

Material	length	width	height	Unfolding width	weight
steel	53 cm	20 cm	20 cm	54 cm	4 kg



◀ HS3601



METAL STAMPING PARTS



Material	SPCC	
	Other type of material can be acceptable	
Equipment	Production Machinery	Testing Machinery
	Punching Machine	Projector XTY-4030
	Pipe Bending Machine	
	Automatic Pipe Cutting	Salt Sprayer Tester AC-90
	Robot Welding Machine	
	Painting Line	Hardness Tester
	Sand Blasting Machine	
	Shot Blasting Machine	
Processing	Forming	Bending
	Punching	Welding
	Blanking	Flanging
	Embossing	Deep Draw
Metal Finishing	Powder coated	electrophoresis
	Zinc plated	painting
Application	Power Tools	Electronic Products




METAL STAMPING PARTS

Material	SPCC	
	Other type of material can be acceptable	
Equipment	Production Machinery	Testing Machinery
	Punching Machine	Projector XTY-4030
	Pipe Bending Machine	
	Automatic Pipe Cutting	Salt Sprayer Tester AC-90
	Robot Welding Machine	
	Painting Line	Hardness Tester
	Sand Blasting Machine	
	Shot Blasting Machine	
Processing	Forming	Bending
	Punching	Welding
	Blanking	Flanging
	Embossing	Deep Draw
Metal Finishing	Powder coated	electrophoresis
	Zinc plated	painting
Application	Power Tools	Electronic Products



STAINLESS STEEL STAMPING



Descriptions:


- Made of durable stainless steel SUS304 with thickness 1.2mm
- Laser shock with accurate dividing

Specifications:

Model	Material	Processing		
HS8607	SUS 304	Deep Draw	Stamping	Laser Shock
HS8608	SUS 304	Deep Draw	Stamping	Laser Shock



STAINLESS STEEL STAMPING



Material	SUS 304	
Equipment	Production Machinery	Testing Machinery
	Punching Machine	Projector XTY-4030
	Pipe Bending Machine	
	Automatic Pipe Cutting	Salt Sprayer Tester AC-90
	Robot Welding Machine	
	Painting Line	Hardness Tester
	Sand Blasting Machine	
	Shot Blasting Machine	
Processing	Forming	Bending
	Punching	Welding
	Blanking	Flanging
	Embossing	Deep Draw
Metal Finishing	Powder coated	electrophoresis
	Zinc plated	painting
Application	Industry	Home use